


This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the on-going regulatory and stakeholder decision-making processes.


AMES MLLW Disposition Map



KEY:	Albuquerque	Carlsbad	Chicago	Commercial	Idaho	Nevada	Oak Ridge	Oakland	Ohio	Richland	Rocky Flats	SRS	Other	Unknown	Off-site Interface: ▷	On site Interface: ◊			
	●																		
	Maximum Programmatic Risk Score of 1 for a stream/TSD System			▽			Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System			●			Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System			○		No Programmatic Risk Score for a stream/TSD System	
																	Rev. 6.0		
																	10/5/01		

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the on-going regulatory and stakeholder decision-making processes.

ANL-E ER Disposition Map




KEY: Albuquerque Carlsbad Chicago Commercial Idaho Nevada Oak Ridge Oakland Ohio Richland Rocky Flats SRS Other Unknown Off-site Interface: ▷ On site Interface: ◊

● Maximum Programmatic Risk Score of 1 for a stream/TSD System
 ▼ Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System
 ● Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System
 ○ No Programmatic Risk Score for a stream/TSD System

Rev. 6.0
10/5/01


This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.

ANL-E LLW Disposition Map



This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.

ANL-E MLLW Disposition Map




This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the on-going regulatory and stakeholder decision-making processes.

ANL-E TRU Disposition Map



FY00 Ending Inventory
FY01-LC Additions



KEY:	Albuquerque	Carlsbad	Chicago	Commercial	Idaho	Nevada	Oak Ridge	Oakland	Ohio	Richland	Rocky Flats	SRS	Other	Unknown	Off-site Interface:	On site Interface:
●														▷	◊	
●														▽	○	Rev. 6.0 10/5/01
														●		
														○		

● Maximum Programmatic Risk Score of 1 for a stream/TSD System
 ▽ Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System
 ● Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System
 ○ No Programmatic Risk Score for a stream/TSD System

ANL-W ER Disposition Map

Dataset: IPABS-IS (8/28/01)

PREDECISIONAL DRAFT

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.



(FY2001 - 2070) Estimated Volume
Regulatory Process
(FY2001 - 2070) Estimated Volume

Ex Situ Remedial Action/
D&D Waste

LLW-Contaminated Rubble/Debris

40 m³

CERCLA

0 m³

4081

41.8 m³ to INEEL, 264:
CH LLW RWMC (Disposal)

Phyto-Remediation Residuals

0 m³

CERCLA

1.8 m³

1181

In-Situ Management

Inorganic Contaminated Soil/Sediments

0 m³

CERCLA

152 m³

2

14,099 m³
44: In-Situ Treatment
(Phyto-remediation)

LLW-Contaminated Soil/Sediment

0 m³

CERCLA

13,947 m³

4080


KEY: Albuquerque Carlsbad Chicago Commercial Idaho Nevada Oak Ridge Oakland Ohio Richland Rocky Flats SRS Other Unknown Off-site Interface: On site Interface:

● Maximum Programmatic Risk Score of 1 for a stream/TSD System
▼ Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System
● Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System
○ No Programmatic Risk Score for a stream/TSD System

Rev. 6.0
10/5/01

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.


ANL-W LLW Disposition Map



KEY:	Albuquerque	Carlsbad	Chicago	Commercial	Idaho	Nevada	Oak Ridge	Oakland	Ohio	Richland	Rocky Flats	SRS	Other	Unknown	Off-site Interface: ▷	On site Interface: ◊
●	Maximum Programmatic Risk Score of 1 for a stream/TSD System		▼	Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System		●	Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System		○	No Programmatic Risk Score for a stream/TSD System						
Rev. 6.0 10/5/01																

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.


Argonne West MLLW Disposition Map



KEY:	Albuquerque	Carlsbad	Chicago	Commercial	Idaho	Nevada	Oak Ridge	Oakland	Ohio	Richland	Rocky Flats	SRS	Other	Unknown	Off-site Interface: ▷	On site Interface: ◊
	●	▼	●	○												
	Maximum Programmatic Risk Score of 1 for a stream/TSD System	Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System	Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System	No Programmatic Risk Score for a stream/TSD System												
					Rev. 6.0 10/5/01											

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.


Argonne West SNF Disposition Map



KEY:	Albuquerque	Carlsbad	Chicago	Commercial	Idaho	Nevada	Oak Ridge	Oakland	Ohio	Richland	Rocky Flats	SRS	Other	Unknown	Off-site Interface: ▷	On site Interface: ◊
	●	▽	●	○												
	Maximum Programmatic Risk Score of 1 for a stream/TSD System	Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System	Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System	No Programmatic Risk Score for a stream/TSD System												

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.

Brookhaven ER Disposition Map



KEY:

Albuquerque	Carlsbad	Chicago	Commercial	Idaho	Nevada	Oak Ridge	Oakland	Ohio	Richland	Rocky Flats	SRS	Other	Unknown	Off-site Interface: 	On site Interface:
--	---	--	---	--	---	--	--	---	---	--	--	--	--	--	---

● Maximum Programmatic Risk Score of 1 for a stream/TSD System
 ▼ Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System
 ● Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System
 ○ No Programmatic Risk Score for a stream/TSD System

Rev. 6.0
10/5/01

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.

Brookhaven ER Disposition Map



KEY:


Albuquerque	Carlsbad	Chicago	Commercial	Idaho	Nevada	Oak Ridge	Oakland	Ohio	Richland	Rocky Flats	SRS	Other	Unknown	Off-site Interface:	On site Interface:
Maximum Programmatic Risk Score of 1 for a stream/TSD System	Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System	Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System	No Programmatic Risk Score for a stream/TSD System	Rev. 6.0 10/5/01											

Brookhaven ER Disposition Map





Dataset: IPABS-IS (8/28/01)

PREDECISIONAL DRAFT

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the on-going regulatory and stakeholder decision-making processes.



KEY:


 Albuquerque	 Carlsbad	 Chicago	 Commercial	 Idaho	 Nevada	 Oak Ridge	 Oakland	 Ohio	 Richland	 Rocky Flats	 SRS	 Other	 Unknown	Off-site Interface: 	On site Interface: 
 Maximum Programmatic Risk Score of 1 for a stream/TSD System	 Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System	 Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System	 No Programmatic Risk Score for a stream/TSD System	Rev. 6.0 10/5/01											

Brookhaven ER Disposition Map

Dataset: IPABS-IS (8/28/01)

PREDECISIONAL DRAFT

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.



KEY:


Albuquerque	Carlsbad	Chicago	Commercial	Idaho	Nevada	Oak Ridge	Oakland	Ohio	Richland	Rocky Flats	SRS	Other	Unknown	Off-site Interface:	On site Interface:
---	--	---	--	---	--	---	---	--	--	---	---	---	---	---------------------	--------------------

● Maximum Programmatic Risk Score of 1 for a stream/TSD System
 ▼ Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System
 ● Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System
 ○ No Programmatic Risk Score for a stream/TSD System

Rev. 6.0
10/5/01

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.

Brookhaven ER Disposition Map



KEY: Albuquerque Carlsbad Chicago Commercial Idaho Nevada Oak Ridge Oakland Ohio Richland Rocky Flats SRS Other Unknown

● Maximum Programmatic Risk Score of 1 for a stream/TSD System
 ▼ Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System
 ● Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System
 ○ No Programmatic Risk Score for a stream/TSD System

Off-site Interface: ▷ On site Interface: ◊
 Rev. 6.0 10/5/01

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the on-going regulatory and stakeholder decision-making processes.

Brookhaven ER Disposition Map

Response Strategy	Media Type	Future Decision Required (FY2001 - 2070)		Approved Decision (FY2001 - 2070)	Processing	Disposition
		Estimated Volume	Regulatory Process			
Ex Situ Remedial Action/ D&D Waste	OU I A/C & Glass Holes PPE	0 m ³		0 m ³	2594	 (To Hanford Disposal on Page 5)
	Waste Management OU I Asphalt	0 m ³		0 m ³	2611	
	Waste Management RA I HEPA Filters	0 m ³		0 m ³	2613	
	Waste Management RA I Wood	0 m ³		0 m ³	2614	
	Waste Management RA II Soil	0 m ³		0 m ³	2615	
	Waste Management RA II Asbestos	0 m ³		0 m ³	2616	
	Waste Management RA I PPE	0 m ³		26.5 m ³	2617	
	OU III Bldg. 830 UST Removal APR Cartridges	0 m ³		0.21 m ³	2628	
	OU III Bldg. 830 UST Removal Equipment	0 m ³		0.21 m ³	2629	
	OU III Bldg. 830 UST Removal PPE	0 m ³		5.44 m ³	2632	
	OU III Bldg. 830 UST Removal Wood	0 m ³		8.16 m ³	2633	
	OU III Bldg. 830 UST Removal Soil	0 m ³		314 m ³	2634	
	OU III Bldg. 830 UST Removal Metal Tanks	0 m ³		1.3 m ³	2636	
	OU III WCF/Pile Fan Sump Sr90 Well Installation PPE	0 m ³		3 m ³	2651	
	OU III WCF/Pile Fan Sump Sr90 Well Installation Soils	0 m ³		21 m ³	2652	
	OU III Tritium Hydraulic Control O&M Plastic/Glassware	0 m ³	AEA	0 m ³	2655	
	Sitewide PPE/T ubing	43 m ³	CERCLA	0 m ³	2685	

KEY:

 Maximum Programmatic Risk Score of 1 for a stream/TSD System	 Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System	 Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System	 No Programmatic Risk Score for a stream/TSD System
--	---	---	--


Albuquerque
Carlsbad
Chicago
Commercial
Idaho
Nevada
Oak Ridge
Oakland
Ohio
Richland
Rocky Flats
SRS
Other
Unknown

Off-site Interface:  On site Interface: 

Rev. 6.0 10/5/01

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.

Brookhaven ER Disposition Map



KEY:


Albuquerque	Carlsbad	Chicago	Commercial	Idaho	Nevada	Oak Ridge	Oakland	Ohio	Richland	Rocky Flats	SRS	Other	Unknown	Off-site Interface:	On site Interface:
Maximum Programmatic Risk Score of 1 for a stream/TSD System	Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System	Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System	No Programmatic Risk Score for a stream/TSD System	Rev. 6.0 10/5/01											

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.

Brookhaven ER Disposition Map




(FY2001 - 2070) Estimated Volume
Regulatory Process
(FY2001 - 2070) Estimated Volume



KEY: Albuquerque Carlsbad Chicago Commercial Idaho Nevada Oak Ridge Oakland Ohio Richland Rocky Flats SRS Other Unknown Off-site Interface: On site Interface:
 ● Maximum Programmatic Risk Score of 1 for a stream/TSD System ▼ Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System ● Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System ○ No Programmatic Risk Score for a stream/TSD System Rev. 6.0 10/5/01

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the ongoing regulatory and stakeholder decision-making processes.

Brookhaven ER Disposition Map



KEY:

Albuquerque	Carlsbad	Chicago	Commercial	Idaho	Nevada	Oak Ridge	Oakland	Ohio	Richland	Rocky Flats	SRS	Other	Unknown	Off-site Interface: ▷	On site Interface: ◊
● Maximum Programmatic Risk Score of 1 for a stream/TSD System	▼ Maximum Programmatic Risk Score of 2 or 3 for a stream/TSD System	● Maximum Programmatic Risk Score of 4 or 5 for a stream/TSD System	○ No Programmatic Risk Score for a stream/TSD System												Rev. 6.0 10/5/01

Brookhaven LLW Disposition Map

Dataset: IPABS-IS (8/28/01)

PREDECISIONAL DRAFT

This map is conceptual and in many cases does not represent cleanup or transfer decisions; this map does not preclude the on-going regulatory and stakeholder decision-making processes.

